



MERCHEM LIMITED

SAFETY DATA SHEET

MERCURE MBS
MSDS No.09/20.03.2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name	Mercure MBS
Synonym	2-(4-Morpholinothio)benzothiazole

1.2 Use of the Substance/Mixture

Identified uses	Rubber vulcanization accelerator
-----------------	----------------------------------

1.3 Manufacturer or supplier's details

Company/Undertaking identification address	Merchem Limited Grove Centre, 44- Development Plot, Kalamassery, Cochin – 683 109, Kerala, India
Telephone	+ 91-484-4089300
Telefax	+ 91-484-4089310
E mail	mail@merchem.com

1.4 Emergency Telephone Number

Emergency Telephone Number	+ 91-484-4089300
----------------------------	------------------

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification as per Directive 67/548/EEC

N
Xi
R43
R51/53
R36/38

Classification as per Regulation (EC) n.1272/2008

Skin irritation (Category 2), H315
Eye irritation (Category 2), H319
Skin sensitisation (Category 1), H317
Chronic aquatic toxicity (Category 2), H411

EC Number: 203-052-4

Annex 1 Index Number: 613-113-00-0



MERCHEM LIMITED

SAFETY DATA SHEET

MERCURE MBS
MSDS No.09/20.03.2015

Label elements

Product Name:

Mercure MBS

Hazard pictograms



Signal Word - Warning

Hazardous statements

H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H411 : Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P264 Wash hands thoroughly after handling.
P280: Wear protective gloves / clothing / eye / face protection.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Precautionary statements

Response

P363 Wash contaminated clothing before reuse.
P333 + P313 IF SKIN irritation or rash occurs: Get medical advice/attention.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352 IF ON SKIN: wash with plenty of soap and water.

Precautionary statements

Storage

P403 Store in a well-ventilated place.
P410 Protect from sunlight.

Precautionary statements

Disposal

P501: Dispose of contents/container in accordance with national regulations.

Note : For the full text of the R phrases, S phrases, and symbols mentioned in this Section, see Section 16

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable



MERCHEM LIMITED

SAFETY DATA SHEET

MERCURE MBS
MSDS No.09/20.03.2015

3.2 Mixtures

Chemical description:

2-(4-Morpholiniothio)benzothiazole(Active ingredient)

Composition/Information on ingredients

Chemical Name	CAS No.	EC No.	Annex-1 Index No.	Weight %
2-(4-Morpholiniothio)benzothiazole	102-77-2	203-052-4	613-113-00-0	> 97
White mineral oil	8042-47-5	-	-	1-2

SECTION 4: FIRST AID MEASURES

4.1 Description of first-aid measures

Inhalation

Move to fresh air. If symptoms persist, seek medical advice

Ingestion

Rinse mouth, give water to drink

Contact with the skin

Remove all contaminated clothing immediately. Wash off with plenty of soap and water. Seek medical advice if irritation develops. Launder clothes before reuse.

Contact with the eyes

Rinse thoroughly with plenty of water. Eyelids should be held away from the eyeball to ensure thorough rinsing. Seek medical advice if irritation develops.

Notes to Physician

Provide supportive care and treatment based on the patient's reactions. Give special attention to breathing difficulties

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, carbon dioxide, foam or dry powder

Special recommendations

Fight fire from a safe distance and from a protected location. Use water spray to cool surfaces exposed to the fire. Avoid the presence of airborne dust because it is combustible. Avoid discharge into drains or watercourses

5.2 Specific hazards arising from the substance or mixture

5.3 Protective Equipment and Precautions for Firefighters

Fire-fighting personnel must wear approved protective clothing for fire fighting and self-contained breathing apparatus

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions ,protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.



MERCHEM LIMITED

SAFETY DATA SHEET

MERCURE MBS
MSDS No.09/20.03.2015

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up.

Solid spillages are collected with shovels or other means and placed into sealed plastic bags or drums for later recycling or managed as waste.

6.4 Reference to other sections

See section 7,8 &13

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.
Incompatible Materials: Oxidizers, strong acids and alkalis.
At temperatures above 40°C and/or in high humidity conditions the product gradually decomposes emitting irritant vapours.

SECTION 8: EXPOSURE CONTROL/PERSONNEL PROTECTION

8.1 Control parameters

Particulates not otherwise classified (PNOC)
Inhalable particulate: 10 mg/m³
Respirable particulate: 4 mg/m³

8.2 Exposure Controls

Appropriate engineering controls Ensure adequate ventilation and extraction systems in the workplace. Have eye wash systems and showers in the workplace.

Personal protective equipment Respiratory: Full-face protective mask with filter.
Eye: Approved safety goggles
Skin: Gloves (rubber, PVC, polychloroprene). Long sleeve overall and appropriate footwear to avoid contact with skin.

Hygiene measures in the workplace

Shower with hot water and soap at the end of the day. Do not use solvents for cleaning the body. Both clothing and equipment should be changed frequently and dry cleaned, check the condition of the gloves to avoid internal contamination and discard if signs of cuts or holes are detected. Use skin creams after work.



MERCHEM LIMITED

SAFETY DATA SHEET

MERCURE MBS
MSDS No.09/20.03.2015

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state	solid pellets
Colour	Pale yellow
Vapour pressure	Not available
Odour	mild, amine like
Vapour density	No data available
pH	not determined
Relative density	1.36 g/cm ³
Melting point	82 – 88 °C
Solubility in water	approx. 40 mg/l (Practically insoluble)
Boiling point	not relevant
Partition coefficient n-octanol/water	Log Pow = 3.49 (25 °C)
Flash point	No data available
Autoignition temperature	No data available
Evaporation rate	No data available
Decomposition temp.	No data available
Flammability	No data available
Viscosity	No data available
Combustion, Properties	No data available
Explosive properties	No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage and handling conditions .

10.3 Possibility of Hazardous reactions

No data available

10.4 Conditions to avoid:

Heating > 130 °C

10.5 Incompatible Materials:

Oxidizing agents

10.6 Hazardous decomposition products:

Thermal decomposition products: carbon monoxide (CO), nitrous gases (NO_x), Sulfur oxides (SO_x), MORPHOLINE . (Harmful by inhalation and in contact with skin and if swallowed, Corrosive)

During the vulcanization process, traces of carcinogenic N-nitrosamines may be formed from decomposition products (amines) in the presence of nitrosating agents.



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effect

Acute oral toxicity LD50 (mg/kg)	> 7,940 mg/kg (rat)
Acute dermal toxicity LD50 (mg/kg)	> 7,940 mg/kg (rabbit)
Organs affected/routes of Exposure	Eyes, respiratory tract / Inhalation, contact.
Ingestion	The product is slightly toxic if ingested. Even after ingesting large amounts of product, this is not expected to cause significant health problems
Contact with the skin	Slightly irritating to the skin, however it can cause sensitization and allergic reaction on the skin
Inhalation	May cause mild irritation of the upper respiratory tract (mouth, nose and throat). Symptoms may include pain in the nose and throat, coughing and sneezing repeatedly.
Contact with the eyes	May cause slight irritation to the eyes but not enough to be classified as an irritant.
Medical conditions aggravated by exposure	Skin and lung diseases : Dust may be irritating to the respiratory tract and cause symptoms of bronchitis. Repeated contact may cause skin sensitization.
Carcinogenicity:	
Carcinogenicity - mouse – Subcutaneous	
Tumorigenic :	
Neoplastic by RTECS criteria. Lungs, Thorax, or Respiration:Tumors. Liver:Tumors.	
Reproductive toxicity	Developmental Toxicity - rat - Parenteral Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death. May cause sensitization by prolonged or repeated contact .



MERCHEM LIMITED

SAFETY DATA SHEET

MERCURE MBS
MSDS No.09/20.03.2015

Additional Information

Repeated dose toxicity - rat - male and female - Oral - No observed adverse effect level - 50 mg/kg -
Lowest observed adverse effect level - 400 mg/kg
Repeated dose toxicity - rabbit - male and female - Dermal - No observed adverse effect level - > 2.000 mg/kg.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Toxicity to fish	flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,31 mg/l - 96h
Daphnia Toxicity to algae	static test EC50 - Daphnia magna (Water flea) - 2,84 mg/l - 48 h
Toxicity to bacteria	EC50 - Sludge Treatment - > 10.000 mg/l - 3 h

12.2 Mobility in soil

No data available

12.3 Persistence and Degradability

Biodegradability	aerobic - Exposure time 28 d Result: 0 % - Not readily biodegradable.
------------------	--

12.4 Bioaccumulation Potential

No data available .

12.5 Results of PBT and vPBT assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

12.7 Other information

Do not discharge product unmonitored into environment

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste disposal method

For the product

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.



MERCHEM LIMITED

SAFETY DATA SHEET

MERCURE MBS
MSDS No.09/20.03.2015

Contaminated containers

Dispose of as unused product

Handling:

Avoid contact with eyes. Avoid contact with skin. Avoid dust generation

SECTION 14: TRANSPORT INFORMATION

14.1 Road transport (ADR/RID/ADN)

ADR/RID class:	9
Packaging group:	III
UN No	3077
Hazardous label	Hazardous for the environment
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (2-Morpholinothio)benzothiazole)

14.2. Sea transport IMDG)

IMDG class	9
Packaging group:	III
UN No.	3077
Hazardous label	Hazardous for the environment
Marine Pollutant	yes
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (2-Morpholinothio)benzothiazole)

14.3. Air transport(ICAO-TI/IATA-DGR)

ICAO-TI/IATA-DGR class	9
Packaging group	III
UN No.	3077
Proper shipping name	Environmentally hazardous substance, solid, n.o.s. (2- (Morpholinothio)benzothiazole)

14.4 Other information

No data available

14.5 Environmental Hazards

See section 14.1-14.3

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant



MERCHEM LIMITED

SAFETY DATA SHEET

MERCURE MBS
MSDS No.09/20.03.2015

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1907/2006 REGULATION (EC) No 1272/2008
Classification according to EU directives 67/548/EEC or 1999/45/EC

15.2 Chemical safety assessment

No data available

SECTION 16: OTHER INFORMATION

Issue No.	2
Issue date	20.03.2015
Revision No.	0
Reason for revision	Reviewed & revamped based on the guide lines of Regulation (EC) No 1907/2006

List of relevant R(isk)-phrase(s)

N	Dangerous for the environment
Xi	Irritant
R36/38	Irritating to eyes and skin.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Training advice

Provide adequate information, instruction and training to operators

Further information for the material safety data sheet

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

End of Material Safety Data Sheet